

Brantley Anderson

Senior Brokerage Associate +1 864 527 5440 brantley.anderson@colliers.com

Taylor Allen

Brokerage Associate +1 864 527 5423 taylor.allen@colliers.com

Colliers International 55 E. Camperdown Way | Suite 200 Greenville, South Carolina 29601 P: +1 864 297 4950



PROPERTY HIGHLIGHTS

Address

350-352 Halton Road Greenville, SC 29607

Available

Immediately

Building Size

±229,341 SF | 2 Buildings with 3 Stories Each

SF Available

±186,467 RSF

Parking

5:1,000 rsf Ability to accommodate more


On-Site Amenities


Tenant Lounge & Cafe
Fitness Center (Coming Soon)
Outdoor Landscaped Park
Courtyard

Lease Rate

\$23.00/SF Full Service







Largest contiguous block of office space available in Greenville.



2-Three Story **Buildings**



5/1.000 Parking Spaces



Tenant Lounge

Immediate

Access to I-85,

Haywood, Laurens Road



Courtyard



Park Like Setting



On-Site Cafe



Wheelchair Accessible



Fitness Facility **Coming Soon**





THE OWNER

Arkansas-based real estate investment plans to invest over a million dollars modernized lobbies, new park signage, fitness center addition and central



THE ARCHITECT

purpose in the buildings they craft, Their business is about people. The




OFFICE PARK

Centrally located in an established area of a growing market.

THE LEASING TEAM

Colliers professionals, Brantley Anderson and Taylor Allen, think differently, share great ideas and offer thoughtful and innovative advice that helps clients accelerate their success.





HIGH VISIBILITY SIGNAGE

Highly-visible top signage along Halton Road for marquee tenants.

SUPERIOR WINDOW LINES

Contiguous glass curtain wall panes provide abundant natural light.

PRIVATE ENTRANCE

Existing exterior entrance into first floor tenant suite

EFFICIENT FLOOR PLANS

Average 35,000 RSF floor plates with creative test fit options.

TOUCHDOWN AREAS

Convenient touchdown areas equipped with WiFi provide tenants with alternate work and meeting space.

BREATH OF FRESH AIR

Outdoor landscaped courtyard and patio area are just steps away, allowing tenants to easily step out for a quick break.

COMFORTABLE SEATING


Innovative design provides tenants multiple areas to eat, socialize, hold meetings, and recharge.


DELI & COFFEE BAR

Complimentary coffee bar and full service kitchenette are perfect for that quick coffee break or collaborative











Floorplans






BUILDING X: 1st Floor


Suite 100	±36.002.49 RSF
Juille 100	130,002.47 NOI






BUILDING X: 2nd Floor


Suite 200 ±39,464.91 RSF






BUILDING X: 3rd Floor

Suite 300 ±42,471.31 RSF






BUILDING Y: 1st Floor


Suite 100	±11,120.53 RSF
Suite 110	±6,206.42 RSF
Suite 120	±3,004.95 RSF
Suite 130	±6,289.72 RSF





BUILDING Y: 2nd Floor

Suite 200	±20,103.01 RSF
Suite 210	±21,803.63 RSF



BUILDING SPECIFICATIONS

	350 Halton Road Building X	352 Halton Road Building Y
Year Built	1989	1990
Lobby Finishes	Finished with commercial carpet, carpet base, tile, wall paint, glass wall entry, and lay-in acoustical ceilings.	Finished with commercial carpet, carpet base, tile, wall paint, glass wall entry, and lay-in acoustical ceilings.
Tenant Corridors	Finished with commercial carpet, carpet base, tile, wall paint, glass wall entry, and lay-in acoustical ceilings.	Finished with commercial carpet, carpet base, tile, wall paint, glass wall entry, and lay-in acoustical ceilings.
Ceiling Heights	9 Feet	9 Feet
Slab to Slab Height	14 Feet	14 Feet
Restrooms per Floor	2 (per building floor)	2 (per building floor)
Roof	Carlisle Total Roofing System (Membrane Roof) installed in 07/2007	Carlisle Total Roofing System (Membrane Roof) installed in 01/2010. Warranty through 1/14/2020
Roof Structure	Steel with concrete slab for each floor	Steel with concrete slab for each floor
Roof Exterior	Exposed white pre-cast architectural exterior in a ribbon fashion with reflective glass windows	Exposed white pre-cast architectural exterior in a ribbon fashion with reflective glass windows
Window System	Reflective glass that is 6''6' in height, in a ribbon fashion with sill height at 2'6"	Reflective glass that is 6"6" in height, in a ribbon fashion with sill height at 2'6"
Elevators	Two (2) 3,500 Lb. capacity hydraulic passenger elevators. Controls and mechanicals modernized by ThyssenKrupp in 07/2015	Two (2) 3,500 Lb. capacity hydraulic passenger elevators. Controls and mechanicals modernized by ThyssenKrupp in 04/2015
HVAC System	Six (6) Trane 60-ton rooftop units, installed in 02/2008.	Six (6) Trane 60-ton rooftop units, installed in 03/2009.
Energy Management	Trane Tracer Summit (software upgraded 02/2008)	Trane Tracer Summit (software upgraded 03/2009)
Electrical Service	There is one 3,000 amp main breaker feeding two 1,600 amp bus ducts (one for Centre 3 and one for Centre 4). These buss ducts feed a 400 amp main for the first floor and a 400 amp main for the second floor. The third floor has a 1,200 main breaker. This electrical distribution is 480/277 volt 3 phase. Misc. G transformers are feeding receptacle and lighting panels.	There is one 3,000 amp main breaker feeding two 1,600 amp bus ducts (one for Centre 5 and one for Centre 6). These buss ducts feed a 400 amp main for the first floor and a 400 amp main for the second floor. The third floor has a 1,200 main breaker. This electrical distribution is 480/277 volt 3 phase. Misc. transformers are feeding receptacle and lighting panels.
Lighting	Typical fixture is a 2' X 4' acrylic lens with T-8 fluorescent 2-tube fixture.	Typical fixture is a 2' X 4' acrylic lens with T-8 fluorescent 2-tube fixture.
Fire/Life Safety	Johnson Controls Notifer fire system with smoke detectors, pull stations strobes, and horns on each floor. Overhead lighting has 90 minute battery back-up. The stairwell lighting has backup 14KW Honda generator coverage. Notifer panel is located on first floor service room with.	Johnson Controls Notifer fire system with smoke detectors, pull stations strobes, and horns on each floor. Overhead lighting has 90 minute battery back-up. The stairwell lighting has backup 14KW Honda generator coverage. Notifer panel is located on first floor service room with.
Security	Maxxess security system providing proximity readers badge support. Cameras are controlled and monitored via Centre 1.	Maxxess security system providing proximity readers badge support. Cameras are controlled and monitored via Centre 1.

AREA DEMOGRAPHICS



Current Population (2017) 1,460,785



Projected Population (2022) 1,533,257



Average Household Income (2017) \$63,757



Projected Average Household Income (2022)

\$72,858



Unemployment Rate (2017) 5.4%

DRIVE TIMES



Haywood Mall

2 Minutes

Downtown Greenville Airport

5 Minutes

Bon Secours Health System

5 Minutes

Downtown Greenville

10 Minutes

Greenville-Spartanburg International Airport


12 Minutes


Spartanburg

38 Minutes

Anderson

45 Minutes









Brantley Anderson

Senior Brokerage Associate +1 864 527 5440 brantley.anderson@colliers.com

Taylor Allen

Brokerage Associate +1 864 527 5423 taylor.allen@colliers.com

This document has been prepared by Colliers International for advertising and general information only. Colliers International makes no guarantees, representations or warranties of any kind, expressed or implied, regarding the information including, but not limited to, warranties of content, accuracy and reliability. Any interested party should undertake their own inquiries as to the accuracy of the information. Colliers International excludes unequivocally all inferred or implied terms, conditions and warranties arising out of this document and excludes all liability for loss and damages arising there from. This publication is the copyrighted property of Colliers International and/or its licensor(s). ©2018 All rights reserved.

Colliers International

55 E. Camperdown Way | Suite 200 Greenville, South Carolina 29601 P: +1 864 297 4950

